

Ningbo Yoyang Rubber & Plastic Products CO., LTD
Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China
M: 86 159 889 37552 F: 86 576 83138715 Tax ID: 9133 0212 MA2C KDN 370
www.Yoyang-Industry.com Email: Zhangbru@gmail.com

Conveyor Skirt Board

To hold material on conveyor belt and prevent loading zone spillage.



FEATURE:

- 1. Double-layer structure, better containment and sealing.**
- 2. Abrasion-resistant polyurethane parts provide longer lasting performance.**

Dual Seal Skirt Board

- Double-layer structure, inside layer keeps materials, outside layer prevents dust-leakage.
- The parts where contact the belt is made of polyurethane, which have longer lifetime and do not damage the belt.
- Clamp units are easy to install, adjust and maintain.

Ningbo Yoyang Rubber & Plastic Products CO., LTD

Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China


M: 86 159 889 37552

F: 86 576 83138715

Tax ID: 9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email: Zhangbru@gmail.com



Installation Instructions:

1. Camp units and angel bar are used together, every 1 meter needs two sets of clamp units.
2. The height of skirt board can be adjusted according the dimensions of

Ningbo Yoyang Rubber & Plastic Products CO., LTD

Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China

M: 86 159 889 37552

F: 86 576 83138715

Tax ID: 9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email: Zhangbru@gmail.com

skirt chute.



Dual Seal Skirt Board Size:

Thickness: 14 ± 1 mm

Height: 150mm, 190mm

Length: could be produced according to your request



FEATURE:

1. Durability
2. Better containment and sealing
3. Reduce belt wear
4. Low maintenance cost

Flat Rubber Skirt Board

Length: 10~30 meters per roll

Width: 150-350mm

Thickness: 10~30mm

- ZE-QB Flat Rubber Skirt Board will last longer than conventional skirt board rubber.
- Shore A Hardness of 50 ± 5 provides good sealing against conveyor belt to keep material.
- Softer rubber helps reducing belt wear.

Ningbo Yoyang Rubber&Plastic Products CO., LTD

Add:Room 4216,No.4 building,No.568 Simingdong Rd,Zhonghe Street,Yinzhou Distric,Ningbo,China


M:86 159 889 37552

F:86 576 83138715

Tax ID:9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email:Zhangbru@gmail.com



Ningbo Yoyang Rubber & Plastic Products CO., LTD

Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China

M: 86 159 889 37552

F: 86 576 83138715

Tax ID: 9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email: Zhangbru@gmail.com

T-Type Skirt Board

Height: 230mm

Thickness: 15mm and 30mm

Length: 10- 15 meters per roll.



Ningbo Yoyang Rubber & Plastic Products CO., LTD

Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China

M: 86 159 889 37552

F: 86 576 83138715

Tax ID: 9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email: Zhangbru@gmail.com

Polyurethane Flat Skirting Board



Polyurethane Beveled Edge Skirt Board

Ningbo Yoyang Rubber&Plastic Products CO.,LTD

Add:Room 4216,No.4 building,No.568 Simingdong Rd,Zhonghe Street,Yinzhou Distric,Ningbo,China

M:86 159 889 37552

F:86 576 83138715

Tax ID:9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email:Zhangbru@gmail.com



Ningbo Yoyang Rubber & Plastic Products CO., LTD

Add: Room 4216, No. 4 building, No. 568 Simingdong Rd, Zhonghe Street, Yinzhou District, Ningbo, China

M: 86 159 889 37552

F: 86 576 83138715

Tax ID: 9133 0212 MA2C KDN 370

www.Yoyang-Industry.com

Email: Zhangbru@gmail.com



Special Dimensions and Shapes to Order.